

Broadcast Tools, Inc.

Price List As of July, 2017

Part Number	Description	Options	List Price	Ship Weight (lbs.)
2x6 DA Plus	Configurable 2x3 Stereo or 1x6 Mono Distribution Amplifier	MDT-L	\$ 219.00	2
2x10 DA	Configurable 2x5 Stereo or 1x10 Mono Distribution Amplifier	RA-1	\$ 259.00	4
16x1	16x1 Passive stereo audio switcher/router. 16 remote control inputs, 17 status OC's. Front panel, RS-232 & GPIO control. 1-RU		\$ 769.00	6
ACS 8.2 Plus	8x2 Stereo audio matrix switcher—VU meters, headphone output, fade (output one only), 16 GPI's, 8 OC's, 8 relays & 2 silence sensors. Front panel, RS-232 & GPIO control. 1-RU		\$ 999.00	9
ACS 4.1	4x1 Stereo audio matrix switcher—8 GPI's, 4 status OC's, and silence sense. Front panel, RS-232 & GPIO control.	RA-1	\$ 409.00	4
ACS 16.2	16x2 Stereo audio matrix switcher—VU meters, headphone output, 2 input fade, 16 GPI's, 16 OC's, 8 relays & 2 silence sensors. Front panel, RS-232 & GPIO control. 1-RU		\$ 1,199.00	9
ADC-1 Plus	Stereo analog to AES digital converter, 44.1khz, 48khz, 24 bit.	RA-1	\$ 429.00	4
AES DA 2x4/1x8	Eight Output AES/EBU Distribution System with Studio Hub+ RJ45s.	RA-1	\$ 439.00	4
AES DA 2x6	Six Output AES/EBU Distribution System with XLRs.	RA-1	\$ 349.00	5
AES Silence Sentinel Standard	AES/EBU digital audio silence/phase sensor with integrated 2x1 switcher, remote control inputs, contact closure alarm outputs.	RA-1	\$ 539.00	4
AES Switcher Sentinel 4>>Web	Web-enabled 4x1 AES audio switcher. AES output activity sense, email alarms, logging and TCP remote control.	RA-1	\$ 319.00	3
AHR-1 Plus	Standalone active headphone amplifier/remote 1/4" and 3.5mm headphone outputs.	MP-S/ MP-S XLR	\$ 179.00	2
*Audio Sentinel 4>>Web	Web-enabled 4 Channel stereo/8 Channel mono balanced analog silence sensor with email alarms and OC alarm outputs	RA-1	\$ 429.00	4
Audio Sentinel Plus Streaming	Web-enabled two channel stereo silence monitor with integrated 2x1 switcher, email alarm, logging and MP3 streaming	RA-1	\$ 429.00	4
Audio Sentinel Plus>>Web	Web-enabled two channel stereo silence monitor with integrated 2x1 switcher, email alarms and logging.	RA-1	\$ 349.00	4
COA-9 XDS/MAX	Connect-O-Adapter 9—DB-9 to terminal block adapter		\$ 32.00	2
COA-15 MAX	Connect-O-Adapter 15— DB-15F to terminal block adapter for: ABC XDS, WW1 IDC MAX, StarGuide II/III, IDC SFX.		\$ 36.00	2
COA-37 XDS/RJ	Connect-O-Adapter 37—DB-37F to RJ 45: ABC XDS, StarGuide II/III, WW1 IDC MAX. Interfaces with GPI-16 Plus/RJ.		\$ 69.00	3
COA-37 XDS/Serial	Connect-O-Adapter 37—DB-37F to terminal block adapter with RS-232 DB-9 output for: ABC XDS, StarGuide II/III, WW1 IDC MAX		\$ 69.00	3
COP-2	Connect-O-Pad 2. DB-9F to terminal block adapter with audio output level adjustments for XDS, WW1 MAX, NON-Option B SFX, StarGuide II and StarGuide III Satellite receivers.		\$ 36.00	2
COP-2/RJ	Connect-O-Pad 2 with RJ. DB-9F to StudioHub+ Compatible RJ45 jack adapter with analog audio level adjustments. For XDS, WW1, MAX, NON-Option B SFX and StarGuide Satellite receivers		\$ 36.00	2
COP-3	Connect-O-Pad 3. DB-9F to terminal block adapter with audio output level adjustments for Option B SFX Satellite receivers used by NPR/PRSS.		\$ 36.00	2

Broadcast Tools, Inc.

Price List

As of July, 2017

DAC-1	<i>Pro quality 24-bit stereo digital-to-analog audio converter</i>	RA-1	\$ 429.00	4
DTD-16 Plus	<i>DTMF tone/sequence decoder with 8 relays, 8 OC's and USB COM port.</i>	RA-1	\$ 259.00	3
DTE-16 Plus	<i>DTMF tone/sequence encoder with 16 contact closure inputs and USB COM port.</i>	RA-1	\$ 259.00	3
GPI-16 Plus	<i>16 GPI inputs to Serial/USB port. 5-24 VDC tolerant GPI's</i>	RA-1	\$ 209.00	3
GPI-16 Plus/RJ	<i>16 GPI inputs to Serial/USB port with RJ45 connections to directly interface with COA-37 XDS/RJ. 5-24 VDC tolerant GPI's</i>	COA-37 XDS/RJ RA-1	\$ 209.00	3
HPA-2 Plus	<i>Standalone headphone amplifier with two analog stereo inputs selected by front panel switch. 1/4" and 3.5mm headphone outputs.</i>	MP-S-XLR	\$ 169.00	3
HR-1	<i>Passive headphone level control with momentary push button (cough, etc.) and mic-ON LED. 3.5mm headphone output.</i>	MP-S MP-S-XLR	\$ 109.00	3
I/O Sentinel 4	<i>Web-based, 4 opto-isolated input/4 relay remote control device with email alarms, and logging.</i>	RA-1	\$ 219.00	3
IP-9	<i>Converts Intraplex MA-404 Modular Adapter to Male DB-9.</i>	Sold as Pair	\$ 42.00	1
Mix-4	<i>Four Channel Utility Audio Mixer</i>	RA-1	\$ 319.00	4
MP-S	<i>Mounting Panel Small—Turret</i>		\$ 29.00	2
MP-S-XLR	<i>Mounting Panel Small with XLR—Turret</i>		\$ 29.00	2
MDT-L	<i>Mount for Desktop Large</i>		\$ 29.00	3
NTP Server Sentinel	<i>GPS-referenced NTP time server with timecode, 1PPS and contact closure outputs. GPS receiver included</i>	RA-1	\$ 429.00	4
*ProMix 1	<i>Single channel audio remote/podcast mixer with 1 mic channel, balanced monaural pgm output and built-in USB codec for audio playback/record</i>	ProMix 1 DM ProMix Hub 6	\$ 349.00	3
*ProMix 1 DM	<i>ProMix 1 Desk Mount (Sloped)</i>		\$ 36.00	2
*ProMix 4	<i>Compact full featured audio remote/podcast mixer with 3 mic channels.</i>	ProMix Hub 6	\$ 689.00	5
*ProMix Hub 6	<i>Switching, Mixing, and Distribution for up to 6 ProMix products. Adds talkback/party-line feature. Easy connection with Cat 5 cables</i>	RA-1	\$ 349.00	3
RA-1	<i>1 RU, Rack Mount Shelf, FlexPanel Filler Panel included</i>		\$ 65.00	6
Schedule Sentinel	<i>Web-Enabled serial event scheduler with two DB-9 serial ports.</i>	RA-1	\$ 319.00	2
Silence Sentinel Basic	<i>Stereo or dual mono silence sensor (loss of audio detector). Contact closure alarm outputs. No input audio switching.</i>	RA-1	\$ 179.00	3
Silence Sentinel Standard	<i>Analog stereo silence monitor with integrated 2x1 switcher, remote control inputs, contact closure alarm outputs.</i>	RA-1	\$ 349.00	4
Site Sentinel 4	<i>Remote site monitoring and control over the internet. Four channels with email alarms, logging, and an event scheduler.</i>	TempSensor RA-1 1	\$ 439.00	4
Site Sentinel 16	<i>Remote site monitoring and control over the internet. 16 channels with email alarms, logging, event scheduling and macros. Includes one TempSensor. 1-RU</i>	TempSensor	\$ 1,179.00	8
Smart Relay 4	<i>4 independent DPDT relays and 8 optically isolated 5 to 24vds wet or dry inputs</i>	RM-3	\$ 219.00	3
SRC-4	<i>RS-232 GPIO interface with 4 opto-isolated GPI's and 4 SPDT relay outputs.</i>	RA-1	\$ 219.00	3
SRC-16 Plus	<i>RS-232/422/485 GPIO interface with 16 opto-isolated GPI's and 16 SPDT relay outputs—Expandable to 64x64.</i>	RA-1	\$ 479.00	5

Broadcast Tools, Inc.

Price List

As of July, 2017

SS 2.1 MLR/BNC	2x1 Passive switcher/router with mechanical latching relays and BNC connectors. Front panel, RS-232 & GPIO control	RA-1	\$ 259.00	4
SS 2.1 MLR/TERM	2x1 Passive switcher/router w/mechanical latching relays, silence sense & terminal block connectors. Front panel, RS-232 & GPIO control.	RA-1	\$ 259.00	4
SS 4.1 MLR	4x1 Passive stereo audio switcher/router with mechanical latching relays and silence sense. Front panel, RS-232 & GPIO control.	RA-1	\$ 349.00	4
SS 4.4	4x4 Stereo audio matrix switcher, 16 GPI's, 4 OC's, 4 relays, and silence sense. Front panel, RS-232 & GPIO control. 1-RU		\$ 569.00	4
SS 8.1 MLR/TERM	Eight input, single output switcher/router with mechanical latching relays and silence sense. Front panel, RS-232 & GPIO control.	RA-1	\$ 539.00	5
SS 16.4	16x4 Stereo matrix audio switcher. With 24 GPI's, 16 OC's, 8 Relays, 4 silence sensors (serial), 2 RU. Front panel, RS-232 & GPIO control.		\$ 1,429.00	12
STA III Plus	Smart Telephone auto coupler, with DTMF access code/control, and balanced mono audio in/out.	RA-1	\$ 359.00	3
Status Sentinel 16	Web-based data acquisition device with 16 GPIs, with email alarms and logging.	RA-1	\$ 219.00	3
Streaming Sentinel 4	Simultaneously monitor up to 4 MP3/AAC streams with built in silence sensor.	RA-1	\$ 659.00	3
TempSensor	Optional Temperature Sensor for WVRC-4, WVRC-8, VAD-2+, VAD-4 TempSentinel, Site Sentinel 4 and Site Sentinel 16.		\$ 69.00	1
Time Sync Plus	GPS-referenced time controlled relay with 1PPS, and serial time and date information. GPS receiver included.		\$ 429.00	3
Transformer 120V	120 V UL/CSA Approved Transformer		CALL	2
Transformer 220V	220/230 V Transformer, Int'l/CE UL/CSA Approved		CALL	2
Transformer UNV	Universal Input Switching Power Supply 12 vdc @ 1A, IEC Input Connector, 2.1 mm Output Connector, Int'l/CE Approved		CALL	2
TT-1 Plus	Telephone line powered hybrid/tap	MDT-L	\$ 169.00	2
Universal 4.1 MLR	4 Channel passive switcher/router with AES/Analog stereo XLR, 1/4" TRS, and StudioHub+ I/O		\$ 479.00	5
*Universal 4.1 MLR/Serial	4 Channel passive switcher/router with AES/Analog stereo XLR and StudioHub+ I/O, front panel control and LED status, GPI/PIP, Serial USB/RS-232 remote control.		\$ 479.00	5
*+Universal 4.1 MLR>>Web	4 Channel passive switcher/router with AES/Analog stereo XLR and StudioHub+ I/O, front panel control and LED status, GPI/PIP and Web enabled control/monitoring		\$ 569.00	5
VAD-4	Voice alarm dialer with four status inputs, four relays, silence sense input, two temperature sensor inputs and power failure input.	RA-1 TempSensor	\$ 429.00	4
WVRC-4 Plus	Four channel web and voice remote control. One TempSensor included.	RA-1	\$ 689.00	5
WVRC-8 Plus	Next generation web-enabled site remote control w/dial-up voice capability. 8 channels with email alarms, logging, event scheduling and macros. Smart phone enabled. One TempSensor included. 1-RU		\$ 1,429.00	8
WVRC-4 Upgrade to Plus	Firmware Upgrade kit for WVRC-4 to WVRC-4 Plus User Installed		\$ 99.00	1
WVRC-8 Upgrade to Plus	Firmware Upgrade kit for WVRC-8 to WVRC-8 Plus User Installed		\$ 99.00	1
WVRC-4 Upgrade to Plus F	Factory Upgrade Service for WVRC-4 to WVRC-4 Plus		\$ 149.00	1
WVRC-8 Upgrade to Plus F	Factory Upgrade Service for WVRC-8 to WVRC-8 Plus		\$ 149.00	1